## MESERVE COPY

## PATENT SPECIFICATION

NO DRAWINGS

1.098.951



Date of Application and filing Complete Specification: Jan. 8, 1965. No. 987/65.

Application made in United States of America (No. 336642) on Jan. 9, 1964. Complete Specification Published: Jan. 10, 1968.

© Crown Copyright 1968.

Index at acceptance: -A5 B31; C4 X11

Int. Cl.: -- A 61 k 7/00

## COMPLETE SPECIFICATION

## Improvements in Antiperspirant Preparations

We, The Scholl Mrg, Co. Limitro, a Conpany incorporated under the laws of Great Britain, of 182—204 St. John Street, London, E.C.1, England, do hereby declare the invention, for which we pray that 'a patent may be grained to us, and the method by which it is to be performed, to be particularly described in and by the following statement:

The present invention relates antiperspirant and deodorant compositions for use on the

Various astringent compositions have heretofore been proposed for use as agents for 15 controlling excessive perspiration and dimin-ishing odour. Most of these compositions are based upon the use of an aluminium salt such as aluminium sulfate or less irritating materials such as aluminium chlorhydroxide. 20 These compositions have been applied by various means, for example in the form of creams, powders, lotions, roll-ons, squeeze bottle sprays, and aerosol mist sprays. Regardless of the method of application, how-25 ever, the user still cannot easily control the rapidity of and the density of application of the product without encountering considerable inconvenience. Cream preparations, while they are perhaps the most efficient of the 30 various means of application, are necessarily greasy to the touch and are likely to cause stains. Powder preparations are not readily absorbed on the skin, and it is difficult to confine the contents of a can to a limited 35 and specific area on the skin. Lotions used for this purpose are normally viscous liquids which require an applicator subject to contamination. In addition, the brush or sponge applicator usually furnished with lotions can-40 not adequately penetrate into the area without several applications. Roll-on type dispensers cannot adequately carry sufficient amounts of the active ingredient to thoroughly penetrate the hair and reach the skin sur-(Pric

face so that they are not particularly advantageous in other than mild cases of perspiration. Squeeze bottle sprays and aerosol mists are not adequate since if sufficient active ingredient is sprayed to the desired area, then the area becomes quite wer.

The main object of the present invention to provide an improved antiperspirant composition for application to the human skin in which the aforesaid disadvantages are minimised or avoided.

According to the present invention, an antiperspirant composition comprises a readily collapsible foam having suspended therein an active antiperspirant material, said composition including a non-volatile non-toxic cosmetic carrier, a volatile solvent, water and a liquefied normally gaseous propellant whereby the said composition is such as to penetrate completely into the skin to which it is applied leaving substantially no residue and no wet condition in the area of application.

The foam can be applied through convenional applicator bortles for foams, such as the type employed for shaving creams. The user can spray the active ingredient directly on the skin where needed, or he can spray a small deposit on the forefinger of the hand and apply it to the desired area. In either case, the puff of foam roudily spreads without a greasy or sticky feel, and dries almost instantly. The user can easily regulate the amount of antiperspirant composition applied in accordance with the size and type of area to be covered, and the dry foam disappears readily with light massage.

reachy with ingit massage.

The antiperspirant material is dispersed in a non-volatile, non-toxic cosmetic carrier, in combination with a volatile solvent, and water: this combination is herein referred to as the base and this base is combined with a sufficient amount of a liquefied normally gaseous propellent to provide a suitable

1,098,951 2

ureidohydantoin) and its derivatives are

known to be stimulators of cell proliferation

and tissue growth. In addition, it is a non-While proportions of the ingredients of the irritating, non-toxic debriding agent. The base may vary, depending upon the partiaddition of allantoin itself selves to correct cular materials employed or the consistency or at least minimize irritation caused to some desired, it has been found that suitable proindividuals upon using an aluminium base 5 portions include from 1 to 50% by weight product. In fact, antiperspirant compositions of the non-volatile, non-toxic carrier, from which contain allantoin or its derivatives pro-20 to 60% by weight of the volatile solvent, vide relief to former areas of irritation, and from 10 to 70% by weight of water, and from 15 to 35% by weight of the active even heating and complete eradication of such 10 antiperspirant material. This base is then The invention will now be further descombined with a liquefied normally gaseous cribed with reference to the following Expropellent, the latter constituting about 10 to 15% by weight of the entire composition. The non-volatile carrier may be any suit-One part by weight of cetyl alcohol and four parts by weight of "Polawax" were 15 able known cosmetic carrier and should be non-toxic and preferably non-ionic. The heated to 70°C., and 15 parts by weight of a carrier may be one or a mixture of two or "Veegum" emulsion containing 1% by more of the following group of materials, although the following list is by no means weight "Veegum" in water was added to the resulting molten material. 19.5 parts by weight of aluminium chlorhydroxide were added to 19 parts by weight water. To this was added 7 parts by weight of aluminium sulfate and 0.5 parts by weight of aluminium chlorhydroxy allantoinate. This solution was Propylene glycol Stearic acid Cetyl alcohol Diethylene glycol heated to 70°C, and added slowly to the 25 Ethyloxylated lanolin emulsified "Polawax" emulsion. About 40 Polyoxyethylene ethers parts by weight of ethanol and perfume were Polyoxyethylene sorbitol lanolin then added slowly to the resulting mixture Polyoxyethylene sorbitan monopalmitate with constant agitation, while the mixture was (a water soluble lanolin) "Fluinol" cooling but was still at a temperature of (Fluinol is a Registered Trade Mark) 30 about 50 to 60°C. This base was then com-"Veegum" (a magnesium aluminium silicbined with a gaseous propellent such as one of the "Freon" series FREON is a Regisate which forms gels with water) Isopropyl myristate tered Trade Mark or propane or isobutane "Polawax" (stearyl alcohol-ethylene oxide using conventional techniques for cold pack- 100 35 reaction product) ing, to form a foam. The resulting com-Glycerine position was stored in a dispensing bottle Stearyl alcohol having an orifice suitable for the ejection of (polyoxyethylene sorbitan "Polysorbate" foam under pressure. mono-oleate) The resulting foam could be readily applied 105 The volatile solvent is preferably a volatile to the underarm areas and penetrated quickly alcohol, such as ethanol or isopropanol. The into the skin. Within a few seconds, the foam only requirement regarding the solvent is that had disappeared, and no feeling of wetness was encountered. The foam composition was it be non-irritating to the human skin and that it be readily volatizable upon applicaconsiderably easier to use than any commer- 110 tion to the skin. cially avialable material of comparable anti-The active antiperspirant composition preperspirant effectiveness. ferably includes one or more aluminium salts such as aluminium sulfate and aluminium WHAT WE CLAIM IS: chlorhydroxide. The latter is also known as 1. An antiperspirant composition compris-50 aluminium chlorhydrate and has an approxiing a readily collapsible foam having sus- 115 mate atomic ratio of aluminium-chlorine of pended therein an active antiperspirant 2 to 1 and an empirical formula of material said composition including a non-Al<sub>s</sub>(OH)<sub>s</sub>Cl in aqueous solution. Other volatile, non-toxic cosmetic carrier, a volatile aluminium salts such as aluminium chloride solvent, water, and a liquefied normally gaseous propellent, whereby the said compo-55 may also be used but when used, should be used in combination with less irritating salts sition is such as to penetrate completely into the skin onto which it is applied leaving subor in combination with a buffering agent. Particularly good results are obtained when stantially no residue and no wet condition the antiperspirant portion of the composition in the area of application. 60 contains allantoin or derivatives of allantoin 2. A composition according to Claim 1 125 such as aluminium chlorhydroxy allantoinate, including from 1 to 50% by weight of a The compound allantoin (also known as 5-

non-volatile, non-toxic cosmetic carrier, from

20 to 60% by weight of a volatile solvent,

1,098,951

ŝ

from 10 to 70% by weight of water, from 15 to 35% by weight of an active antiperspirant material, and a sufficient amount of a liquefied normally gaseous propellent to

provide a sprayable foam.
 A composition according

A composition according to Claim 2 wherein the propellent constitutes from about 10 to 15% by weight of the composition.
 A composition according to any of

 A composition according to any of Claims 1 to 3 wherein the antiperspirant material contains an aluminium salt,

5. A composition according to any of Claims 1 to 4 wherein the active antiperspirant material contains both an aluminium

15 salt and allantoin.

6. A composition according to any of Claims 1 to 5 wherein the active antiperspirant material contains aluminium sulfate aluminium chlorohydroxide and allantoin or

20 aluminium chlorhydroxy allantoinate.

7. A composition according to any of

Claims 1 to 6 wherein the volatile solvent used is ethanol or isopropanol.

8. A composition according to any of

Olims 1 to 7 wherein the carrier consists of from 1 to 50% by weight of a mixture of cetyl alcohol, a stearyl alcohol-thylene oxide reaction product emulsifier, and a gel forming magnesium aluminium silicate, and the active antiperspirant material consists of a mixture of aluminium sulface, aluminium and a mixture of aluminium sulface, aluminium sulface

chlorohydroxide and allantoin.

9. A composition according to any of Claims 1 to 8 wherein the volatile solvent is ethanol or isopropanol.

10. A readily collapsible antiperspirant foam composition substantially as herein described with reference to the Evappole

cribed with reference to the Example.
PAGE, WHITE & FARRER,
Chartered Patent Agents,
27, Chancery Lane,
London, W.C.2,

Agents for the Applicants.

Leamington Spa: Printed for Her Majesty's Stationery Office by the Courier Press.—1968.
Published at The Patent Office, 25, Southampton Buildings, London, W.C.2, from which copies may be obtained.